

# Out of Standard order Form

Check list to be filled for each special machine



|                    |   |
|--------------------|---|
| DAGU CUSTOMER NAME | : |
| OSF NUMBER         | : |
| DATE               | : |

|                       |   |
|-----------------------|---|
| MOTOR TYPE (IF KNOWN) | : |
|-----------------------|---|

|                        |   |   |
|------------------------|---|---|
| Power rating:          | <input type="text"/>  | W   |
| Torque rating:         | <input type="text"/>  | N/m   |
| Voltage supply:        | <input type="checkbox"/> 12 <input type="checkbox"/> 24 <input type="checkbox"/> 36 <input type="checkbox"/> 48 <input type="checkbox"/> 72 <input type="checkbox"/> 110 <input type="checkbox"/> 230 (V.) other:         |   |
| Execution:             | <input type="checkbox"/> A.C. <input type="checkbox"/> D.C.   |   |
| Technology type:       | <input type="checkbox"/> brush <input type="checkbox"/> brushless   |   |
| Speed:                 | <input type="checkbox"/> 1000 <input type="checkbox"/> 1500 <input type="checkbox"/> 2000 <input type="checkbox"/> 2500 <input type="checkbox"/> 3000 (rpm) other:  |   |
| rotation direction :   | <input type="checkbox"/> clockwise <input type="checkbox"/> counter clockwise <input type="checkbox"/> two directions   |   |
| Duty:                  | <input type="checkbox"/> S1 <input type="checkbox"/> S2 <input type="text"/> min. <input type="checkbox"/> S3 <input type="text"/> % other:   |   |
| cable output:          | <input type="checkbox"/> terminal board <input type="checkbox"/> cable  |   |
| Applications:          |   |   |
| Gear type :            | <input type="checkbox"/> planetary MRE <input type="checkbox"/> parallel shaft MRI <input type="checkbox"/> worm gearmotor MRV other:   |   |
| Ambient temperature:   | <input type="checkbox"/> 20 <input type="checkbox"/> 25 <input type="checkbox"/> 30 <input type="checkbox"/> 35 <input type="checkbox"/> 40 (°c) other:   |   |
| Construction form :    | <input type="checkbox"/> 56B14 <input type="checkbox"/> 63B14 <input type="checkbox"/> 71B14 <input type="checkbox"/> 56B5 <input type="checkbox"/> 63B5 <input type="checkbox"/> 71B5 <input type="checkbox"/> B3 other: |   |
| I.P. request :         | <input type="checkbox"/> 20 <input type="checkbox"/> 44 <input type="checkbox"/> 54 <input type="checkbox"/> 65 <input type="checkbox"/> 68 other:  |   |
| Cooling :              | <input type="checkbox"/> self ventilated <input type="checkbox"/> totally enclose   |   |
| Expected Annual batch: | <input type="text"/>  | Pcs. delivery batch : <input type="text"/> Pcs. |

## Optional:

## Note:

|   |   |
|---|---|
| Thermal sensor :  | <input type="checkbox"/> bi-metallic <input type="text"/> °c <input type="checkbox"/> P.T.C. <input type="checkbox"/> N.T.C. type: <input type="text"/> |
| Encoder (indicate: n° pulses / n° channel ; supply; type):                                  |   |
| freno: <input type="checkbox"/> positivo <input type="checkbox"/> negativo coppia frenante: | <input type="text"/> N/m alimentazione: <input type="text"/> V.   |
| Uni-directional driver <input type="checkbox"/>   |   |
| Bi-directional driver <input type="checkbox"/>  |   |

- Any possible no write data, assuming how standard execution for DAGU srl